


Welcome to Wide Area Workflow e-Business Suite.


This demonstration contains audio narrative. Please adjust your volume accordingly.



This presentation will demonstrate how to Add a GFP Item. This function is available to Contractors, Legacy Submitters and IUID HAM roles.




Click the Add IUID link.



Click the Legacy Item Non GFP radio button.


Note: The Organizational Source field is an optional field.

Click the Continue Link.




Entering Legacy items is different from entering new items in that Acquisition Contract Information is not required. In some cases, it will not be readily available to those making the entry. However, please enter as much information as possible for the legacy item as it helps with the item's life later.


Click the Continue link.




Select a UID type from the UID Type dropdown.




When UID1 is selected for the UII Type as the above data is entered, IUID builds a suggested UII Code based on Issuing Agency Code plus Enterprise Identifier plus Serial Number.




Select an Issuing Agency Code from the Issuing Agency Code dropdown.



Enter an Enterprise Identifier.




Enter a Serial Number.




IUID suggestion is displayed after the Serial Number is entered.


Click the UII link to accept suggested value.



Enter a Description.



Click the Continue link.




A Defined mark is an identification mark that is not actually on the item; it is an identification mark that is only assigned to the item. When a "Defined" UID mark is recorded, a physical mark is required, and an additional screen is displayed. The following rules apply to Marks:

- There must be at least one Mark group whose Content is "UID".
- If there are multiple Mark groups whose Contents are "UID", none may have a Medium Code of "DEFINED".
- If the Medium Code is "DEFINED", there must be one or more other Mark groups recorded whose Content is not "UID".


Note that "DEFINED" is allowed only for Legacy or GFP items.




- If there are two or more Mark groups where each element has the same value (Effective Date = Effective Date, Contents = Contents, etc.), only one of the matching groups is loaded. The rest is rejected as a duplicate mark. Duplicates can be found within the Mark groups in the file or between the ones in the file and the ones in the database.
- IUID Marks may not have gaps of time.
- Mark contents are restricted to a list of acceptable values.
- Type Designation Mark Value and Vessel Class Mark Value must be upper case. The IUID Registry does not allow the removal of a Mark if doing so violates these rules.




Enter required information and click the Continue link.




Select a date for the Effective Date field.




Select a Status from the Status dropdown.




Enter required information and click the Continue link.




Review data and use the Add, Edit and Delete links to make changes as needed.



When finished, click on the Finish link at the bottom of the page.



A message is displayed that the IUID record has been added.



This concludes our demonstration.