



Welcome to Wide Area Workflow e-Business Suite. This demonstration contains audio narrative. Please adjust your volume accordingly.




This demonstration provides an overview for a Vendor creating a document with Pack data.



Your contract may require you to enter Radio Frequency Identification (RFID) tag data. The Pack Tab opens the Pack Data form and is where you can provide detailed packaging information for the shipment.

The Pack Data form is used to visually create how the various pallets, packages, boxes, containers, etc. of a shipment are put together.

On the Pack Data form, you have two options for a first step. You can either "Pack Later" or take "Action" creating the Package ID's now. We'll start by demonstrating the Pack Later option.



The user selects the Pack Later checkbox and now has the option of "packing later" - submitting the document and returning later to create the Packaging information. When you select the "Pack Later" checkbox, the Add Pack and Pack CLIN buttons disappear from the page.

The user then adds other information on the remaining tabs and submits the document.

IRAPT (formerly WAWF) User ID : rmesico@vendor

Vendor Documents from Active Folder (144 items, sorted by Contract Number Ascending)

Item	Delivery Order	Shipment Number	Submitted	Shipped	Accepted	Status	Purge	Recall	Change Ds/MAC	Void	Pack/Transportation	Item Quality	Invoice Number	Submitted	Received
123		AVJ915798	2015-09-21	2015-09-21		Submitted		R	Yes	Y	Add				
123		AVJ915798	2015-09-18	2015-09-18		Submitted		R	Yes	Y	Add				
0920	1274	SHIP133	2015-09-04	2010-06-11 E		Submitted		R	Yes	Y					
0920	1274	SHIP2552	2015-09-04	2010-06-11 E		Submitted		R	Yes	Y					
0920	1274PCR	SHIP2907	2015-08-26	2015-08-26		Submitted		R	Yes	Y					
0920	1274PCR	SHIP2542	2015-08-26	2015-08-26		Submitted		R	Yes	Y					
825	DR1274	INV1150	2015-09-08	2010-06-11 E		Submitted		R	Yes	Y					
825	DR1274	SHIP130	2015-09-08	2010-06-11 E		Submitted		R	Yes	Y					
825	DR1274	SHIP1952	2015-09-08	2010-06-11 E		Submitted		R	Yes	Y					
825	4374	SHIP0905	2015-09-08	2010-06-11 E		Submitted		R	Yes	Y					
825															
827													EDA1274	2015-09-18	D2015-09-1
827													INV0905	2015-09-26	F2015-09-2
827													INV0909	2015-09-26	F2015-09-2
828	1274COMDOPF	SHIP2582	2015-08-26	2015-08-26		Submitted		R	Yes	Y					
091		FLG234F	2015-08-25	2014-08-27		Resubmitted									
101		SHIP111	2015-09-11	2015-09-11		Resubmitted		R	Yes	Y					
103		EKT0003	2015-09-08	2015-09-08	2015-09-08	Extracted									
104		EKT0004	2015-09-08	2015-09-08	2015-09-08	Extracted									
104		EKT0005	2015-09-08	2015-09-08	2015-09-08	Extracted									

When a document has been created with Pack Later selected, the document will show up in the Vendor History Folder with an "Add" link under the "Pack/Transportation" column.

When a document has been created with Pack Later selected, the document will show up in the Vendor History Folder with an "Add" link under the "Pack/Transportation" column.

IRAPT (formerly WAWF) User ID : rmesico@vendor

Vendor - Receiving Report - Pack Later

Contract Number: 1234567890123 Delivery Order: Shipment Number: AVJ915798 Invoice Number:

Submit without Pack Data

Line Item Number: 0001 Multiple Box Pack Indicator: N

The Vendor selects the "Add" link from the History Folder results page and is able to Pack.

The Vendor selects the "Add" link from the History Folder results page and is able to Pack.

IRAPT (formerly WAWF) User ID: rmeisocof/vendor
Vendor - Receiving Report - Pack Later

Line Item Pack Misc Info Preview Document

Estimated Delivery Date
YYYYMMDD

Actions
Add

You start by creating your packaging structure from the outside in. The structure will consist of a series of nested entries. Packing levels can only be nested five levels (layers) deep. The Department of Defense adheres to ISO standards for RFID tagging. Click the "Add" link under "Actions".

Submit Save Draft Document Help

Security & Privacy Accessibility Vendor Customer Support Government Customer Support FAQ

You start by creating your packaging structure from the outside in. The structure will consist of a series of nested entries.

Packing levels can only be nested five levels (layers) deep. The Department of Defense adheres to ISO standards for RFID tagging.

Click the "Add" link under "Actions".

IRAPT (formerly WAWF) User ID: rmeisocof/vendor
Vendor - Receiving Report - Pack Later

Line Item Pack Misc Info Preview Document

Estimated Delivery Date
YYYYMMDD

Package Type	Package ID	Actions
RFID - Radio Frequency Identification (Passive)	A00000000000000001	Save Cancel

We have entered A00000000000000001 as our Package ID. This is our first box for packing. The Package ID for type "RFID" must have a length of exactly 16, 24, 32, or 64. The only characters allowed are numerals 0-9 and letters A-F. No spaces and no special characters are allowed. Click the "Save" link under the Actions.

Help

Security & Privacy Accessibility Vendor Customer Support Government Customer Support FAQ

We have entered A00000000000000001 as our Package ID. This is our first box for packing.

The Package ID for type "RFID" must have a length of exactly 16, 24, 32, or 64. The only characters allowed are numerals 0-9 and letters A-F. No spaces and no special characters are allowed.

Click the "Save" link under the Actions.

IRAPT (formerly WAWF) User ID : rmesico@vendor
Vendor - Receiving Report - Pack Later

ERROR: Pack ID 'A000000000000001' must be 10, 24, 32, or 64 characters in length if the Pack Type is RFID

Estimated Delivery Date
YYYYMMDD

Package Type	Package ID	Actions
RFID - Radio Frequency Identification (Passive)	A000000000000001	Save Cancel

Fix the errors and click the "Save" link under "Actions".

Any errors are displayed in the message section. Fix the errors and click the "Save" link under "Actions".

IRAPT (formerly WAWF) User ID : rmesico@vendor
Vendor - Receiving Report - Pack Later

Estimated Delivery Date
YYYYMMDD

Pack CLIN

Click the Pack CLIN button after adding the Package IDs.


Package Type	Package ID	Actions
RFID	0000000000000001	Add Edit Delete

Selecting the "Add" link within the box represents placing another package inside that package, already created.
Selecting the "Edit" link enables you to change the Package ID and Type information.
Selecting the Delete Pack button removes the Pack information and the package representation.

Selecting the Add Package ID button outside the package represents putting another package beside the package already created. Selecting the "Add" link within the box represents placing another package inside that package.

Selecting the "Edit" link enables you to change the Package ID and Type information.

Selecting the Delete Pack button removes the Pack information and the package representation. Click the Pack CLIN button after adding the Package IDs.



IRAPT (formerly WAWF) User ID : rmesocof/vendor
Printer: Faculty

User Vendor Property Transfer Documentation Lookup Exit

CLIN/SLIN Data

* - Required Fields


Item No	Product/Service ID	UIC	Qty. Shipped	Total Qty. Packed	Difference	Actions
0001	12545789123	N	50	0	50	Add

Click the "Add" link under "Actions" to pack.

Save Pack CLIN Save Draft Document Help

Security & Privacy Accessibility Vendor Customer Support Government Customer Support FAQ

Click the "Add" link under "Actions" to pack.



IRAPT (formerly WAWF) User ID : rmesocof/vendor
Printer: Faculty

User Vendor Property Transfer Documentation Lookup Exit

CLIN/SLIN Data

* - Required Fields

Item No	Product/Service ID	UIC	Qty. Shipped	Total Qty. Packed	Difference	Actions
0001	12545789123	N	50	0	50	Save Cancel


Package ID: 000000000000001
Quantity Packed: 50

Select the Package ID. Enter the Quantity Packed. Click the "Save" link under "Actions".


Help

Security & Privacy Accessibility Vendor Customer Support Government Customer Support FAQ


Select the Package ID. Enter the Quantity Packed. Click the "Save" link under "Actions".




Note: The "Add" link under "Actions" is shown for any Item No. when there is a difference in that Item Number. Once there is a difference of zero, the "Add" link goes away since there is nothing more to pack.




The user is done packing for this shipment and clicks the "Submit" button.




A success message is displayed and the user has successfully submitted a "Pack Later" document.



The next demonstration shows an example of packing with 2 line items, with 1 line item containing UIDs.




The user navigates to the "Pack" tab.




The "Pack" page is displayed.


Click the "Add" link under "Actions" to add Pack.




The user enters Package IDs and clicks the "Save" link under "Actions" to save the Package IDs entered.




Any errors are displayed in the message section. Fix the errors and click the "Save" link under "Actions".




Selecting the Add Package ID button outside the package represents putting another package beside the package already created.




The user adds more Package IDs and clicks the "Save" link under "Actions" to continue to save the Package IDs.




The user may continue to add Package IDs or click the "Pack CLIN" button once all the Package IDs are added.



Click the "Add" link under "Actions" on the first Line Item to Pack the first Line Item.




Once the Difference is "0", the "Add" link under "Actions" will be removed for that Line Item. Click the "Add" link to Pack the 2nd Line Item with UIDs.




Check the "Pack All UIDs" checkbox.

The "Pack" checkbox is automatically populated. Click the "Save" link on the 2nd Line Item to save the Pack Data.




Both Line Items have been packed.


Click the "Save Pack Clin" button.



Click submit button to submit the document.




The document was successfully submitted with both Line Items packed.




The last demonstration is an example of adding Packages inside other Packages.

Note: You may go 5 levels deep.

Click the "Pack CLIN" button.




Click the "Save" link to save the Pack data.




Once the difference is "0", the "Add" link will be removed.

Click the "Save Pack Clin" button.




Click the "Preview Document" tab.




Pack Data is also displayed on the "Preview Document" tab.

Click Submit to submit the document.



Document was successfully submitted with Pack Data.



This concludes our demonstration.